L Number	Hits	Search Text	DB	Time stamp
1	4613	nishikawa-m$.in.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 11:36
2	5	nishikawa-m$.in. and "battery frame"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:23
3	3	6085854.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:42
4	1	6085854.pn. and (metal or metallic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:49
5	0	6085854.pn. and stack$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:57
6	0	5806948.pn. and stack$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 11:57
7	13	(("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") or ("5806948") or ("5981101") or ("6085854")).PN.	USPAT; US-PGPUB	2003/01/02 12:08
8	209575	"13" and stack$4	USPAT; US-PGPUB	2003/01/02 12:08
9	7	((("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") or ("5806948") or ("5981101") or ("6085854")).PN.) and stack$4	USPAT; US-PGPUB	2003/01/02 12:09
10	5	((("3664877") or ("4020244") or ("4113926") or ("4317497") or ("4957829") or ("5140744") or ("5663008") or ("5665486") or ("5667908") or ("5766801") r ("5806948") or ("5981101") r ("6085854")).PN.) and (c ling r coolant or co led)	USPAT; US-PGPUB	2003/01/02 12:10

11	34436	429/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:23
12	527	429/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:38
13	200	429/100.ccls. and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:44
14	380	429/97.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 12:47
49	88	429/97.ccls. and (slid$4 with (interlock$4 inter-lock$4 lock$4 engag$4 snap$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:03
50	292	429/97.ccls. not (429/97.ccls. and (slid$4 with (interlock$4 inter-lock$4 lock$4 engag$4 snap$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:03
65	1258	429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls/	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:04
66	1471	429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:54
67	59	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough$5 or uneven$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:07
68	523671	rough$5 or uneven$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:07

69	3330	(rough$5 or uneven$3) and (batt ry batt ri s el ctr ch mical).ti.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 13:08
70	499	(rough$5 r un v n$3) and ((battery batteries electrochemical) with (mount$3 frame support holder case casing) with (rough$5 or uneven$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:29
71	491	((rough$5 or uneven$3) and ((battery batteries electrochemical) with (mount$3 frame support holder case casing) with (rough$5 or uneven$4))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough$5 or uneven$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:11
72	72	(((rough$5 or uneven$3) and ((battery batteries electrochemical) with (mount$3 frame support holder case casing) with (rough$5 or uneven$4))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (rough$5 or uneven$3))) and (429/$.ccls. h01m)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:26
73	1	1986-242100.NRAN.	DERWENT	2003/01/02 13:15
74	1	1986-296437.NRAN.	DERWENT	2003/01/02 13:15
75	50	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 with (electrode$1 or (cathode$1 and anode$1)) with (engag$4 lock$4 interlock$4 snap$4 fit$4 secur$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:25
76	3	(rough$5 or uneven$3) and ((battery batteries electrochemical) with (mount$3 frame support holder case casing) with (grit$4 abrad$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:42
77	31	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and ((heat or thermal) near2 (transfer exchange))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 13:47
78	7	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (surface with ((heat or thermal) near2 (transfer exchange)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:01
79	2	5501918.pn.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:03

80	380	429/97.ccls.	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB	2003/01/02 14:03
81	10545	h01m002/10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:04
82	338	h01m002/10 and (slid$4 with (interlock$4 inter-lock$4 lock$4 engag$4 snap$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:05
83	9928	h01m002/10	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:05
84	219	h01m002/10 and (slid$4 with (interlock$4 inter-lock$4 lock$4 engag$4 snap$4))	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:08
85	1	1977-E4811Y.NRAN.	DERWENT	2003/01/02 14:06
86	2	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1))	EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:09
87	177	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:09
88	175	((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:10
89	122	(((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1))) not ((429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near8 (spring$1 clip$1)))) and engag$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:14
90	5658	(terminal$1 with (electrode$1 or (cathode$1 and anode$1)) with (engag$4 lock$4 interlock$4 snap$4 fit$4 secur$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:17
91	1837	gata-y$.in.	USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:17

92	2294	hamada-S$.in.	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB	2003/01/02 14:17
93	833	ik ma-m$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:21
94	4853	ogata-y$.in. hamada-S$.in. ikoma-m$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:21
95	10	(ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and ((terminal$1 with (electrode$1 or (cathode$1 and anode$1)) with (engag$4 lock$4 interlock$4 snap$4 fit$4 secur$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:23
96	4	((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and ((terminal$1 with (electrode$1 or (cathode$1 and anode$1)) with (engag$4 lock$4 interlock$4 snap$4 fit$4 secur$4)))) and 429/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
97	1	((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and ((terminal$1 with (electrode$1 or (cathode$1 and anode$1)) with (engag$4 lock$4 interlock$4 snap$4 fit$4 secur$4)))) and h01m	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
98	80	(ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and h01m	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
99	89	(ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and 429/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
100	169	((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and h01m) ((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and 429/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:24
101	48	(((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and h01m) ((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and 429/$.ccls.)) and ((ngag$4 l ck$4 int rlock$4 snap$4 fit$4 secur$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:31

102	310258	fram .ti.	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB	2003/01/02 14:31
103	2	(((gata-y$.in. hamada-S$.in. ikoma-m$.in.) and h01m) ((ogata-y$.in. hamada-S$.in. ikoma-m$.in.) and 429/$.ccls.)) and frame.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:53
104	1	2002-033703.NRAN.	DERWENT	2003/01/02 14:32
105	24162	terminals near5 side	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:54
106	142	(429/96.ccls. 429/97.ccls. 429/98.ccls. 429/99.ccls. 429/100.ccls.) and ((frame case holder casing support) near5 terminals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:59
107	23	"4436792"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/02 14:59
108	12	(US-5736272-$ or US-5534364-$ or US-5140138-$ or US-4186983-$ or US-3967979-$ or US-5075182-$ or US-5304434-$ or US-5567542-$ or US-6162559-$).did. or (JP-56168355-$).did. or (JP-08164750-$ or JP-09245752-$).did.	USPAT; JPO; DERWENT	2003/01/02 15:05

L Number	Hits	S arch T xt	DB	Tim stamp
1	1086	429/96.ccls. 429/99.ccls. 429/100.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:06
236	7	(429/96.ccls. 429/99.ccls. 429/100.ccls.) and ((electrode$1 or terminal$1) near4 (snap$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:08
275	102	(429/96.ccls. 429/99.ccls. 429/100.ccls.) and (terminal$1 near5 (spring or clasp))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/30 14:09
328	13	(US-3664877-$ or US-4020244-$ or US-4113926-$ or US-4317497-$ or US-4957829-$ or US-5140744-$ or US-5663008-$ or US-5665486-$ or US-5667908-$ or US-5766801-$ or US-5806948-$ or US-5981101-$ or US-6085854-$).did.	USPAT	2002/12/30 15:25
329	8	(US-0890827-$ or US-1201939-$ or US-1485061-$ or US-1486434-$ or US-1606391-$ or US-2939901-$ or US-3110634-$ or US-3623917-$).did.	USOCR	2002/12/30 15:25